

Liste faunistique des Diptères Limoniidae & Pediciidae de France métropolitaine

C. QUINDROIT, F. LABAT & P. TILLIER 2024

Limoniidae Rondani, 1856

Chioneinae Rondani, 1861

Arctoconopa Alexander, 1924

1. *Arctoconopa melampodia* (Loew, 1873)

Baeoura Alexander, 1924

2. *Baeoura directa* (Kuntze, 1914)

Cheilotrichia Rossi, 1848

3. *Cheilotrichia (Cheilotrichia) cinerea* (Strobl, 1898)
4. *Cheilotrichia (C.) imbuta* (Meigen, 1818)
5. *Cheilotrichia (C.) meridiana* Mendl, 1974
6. *Cheilotrichia (Empeda) cinerascens* (Meigen, 1804)
7. *Cheilotrichia (E.) fuscohalterata* (Strobl, 1906)
8. *Cheilotrichia (E.) minima* (Strobl, 1898)
9. *Cheilotrichia (E.) neglecta* (Lackschewitz, 1927)
10. *Cheilotrichia (E.) staryi* Mendl, 1973

Chionea Dalman, 1816

11. *Chionea alpina* Bezzi, 1908
12. *Chionea belgica* (Becker, 1912)
13. *Chionea bezzii* Oosterbroeck & Reusch, 2008
14. *Chionea lutescens* Lundström, 1907
15. *Chionea pyrenaea* (Bourne, 1981)

Crypteria Bergroth, 1913

16. *Crypteria (Crypteria) limnophiloides* Bergroth, 1913

Ellipteroides Becker, 1907

17. *Ellipteroides (Ellipteroides) lateralis* (Macquart, 1835)
18. *Ellipteroides (Protogonomyia) adrastea* Starý & Mendl, 1984
19. *Ellipteroides (P.) alboscutellatus* (von Roser, 1840)
20. *Ellipteroides (P.) limbatus* (von Roser, 1840)

Eriocnopa Starý 1976

21. *Eriocnopa diurna* (Walker, 1848)
22. *Eriocnopa symplectoides* (Kuntze, 1914)
23. *Eriocnopa trivialis* (Meigen, 1818)

Erioptera Meigen, 1803

24. *Erioptera (Erioptera) divisa* (Walker, 1848)
25. *Erioptera (E.) flavata* (Westhoff, 1882)
26. *Erioptera (E.) fuscipennis* Meigen, 1818
27. *Erioptera (E.) fusculenta* Edwards, 1938
28. *Erioptera (E.) griseipennis* Meigen, 1838

29. *Erioptera (E.) limbata* Loew, 1873
30. *Erioptera (E.) longicauda* Loew, 1871
31. *Erioptera (E.) lutea lutea* Meigen, 1804
32. *Erioptera (E.) mejerei* Edwards, 1921
33. *Erioptera (E.) nielseni* de Meijere, 1921
34. *Erioptera (E.) pederi* Tjeder, 1969
35. *Erioptera (E.) sordida* Zetterstedt, 1838
36. *Erioptera (E.) squalida* Loew, 1871
37. *Erioptera (E.) verralli* Edwards, 1921
38. *Erioptera (Mesocyphona) bivittata* (Loew, 1873)
39. *Erioptera (M.) fossarum* (Loew, 1873)

Gnophomyia Osten Sacken, 1860

40. *Gnophomyia elsneri* Starý, 1983
41. *Gnophomyia lugubris* (Zetterstedt, 1838)
42. *Gnophomyia viridipennis* (Gimmerthal, 1847)

Gonempeda Alexander, 1924

43. *Gonempeda flava* (Schummel, 1829)

Gonomyia Meigen, 1818

44. *Gonomyia (Gonomyia) abscondita* Lackschewitz, 1935
45. *Gonomyia (G.) bifida* Tonnoir, 1920
46. *Gonomyia (G.) conoviensis* Barnes, 1924
47. *Gonomyia (G.) dentata* de Meijere, 1920
48. *Gonomyia (G.) lucidula* de Meijere, 1920
49. *Gonomyia (G.) recta* Tonnoir, 1920
50. *Gonomyia (G.) securiformis* Starý, 2011
51. *Gonomyia (G.) simplex* Tonnoir, 1920
52. *Gonomyia (G.) subtenella* Savchenko, 1972
53. *Gonomyia (G.) tenella* (Meigen, 1818)
54. *Gonomyia (G.) theowaldi* Starý, 1982
55. *Gonomyia (G.) undiformis* Starý, 2010
56. *Gonomyia (Prolipophleps) abbreviata* Loew, 1873
57. *Gonomyia (P.) divergens* Bangerter, 1947

Hoplolabis Osten Sacken, 1869

58. *Hoplolabis (Parilisia) areolata* (Siebke, 1872)
59. *Hoplolabis (P.) complicata* (Bangerter, 1947)
60. *Hoplolabis (P.) fluviatilis* (Vaillant, 1970)
61. *Hoplolabis (P.) punctigera* (Lackschewitz, 1940)
62. *Hoplolabis (P.) sororcula* (Lackschewitz, 1940)
63. *Hoplolabis (P.) subalpina* (Bangerter, 1947)
64. *Hoplolabis (P.) vicina* (Tonnoir, 1920)
65. *Hoplolabis (P.) yezoana* (Alexander, 1924)

Idiocera Dale, 1842

66. *Idiocera (Euptilostena) jucunda* (Loew, 1873)
67. *Idiocera (Idiocera) alexanderiana* (Lackschewitz, 1940)
68. *Idiocera (I.) antilopina* Starý, 1982
69. *Idiocera (I.) connexa* (Loew, 1873)
70. *Idiocera (I.) sziladyi* (Lackschewitz, 1940)

Illisia Rondani, 1856

71. *Ilisia maculata* (Meigen, 1804)
 72. *Ilisia occoecata* Edwards, 1936

Molophilus Curtis, 1833

73. *Molophilus (Molophilus) aduncus* Starý, 1978
74. *Molophilus (M.) appendiculatus* Staeger, 1840
75. *Molophilus (M.) armatissimus* Bangerter, 1947
76. *Molophilus (M.) ater* (Meigen, 1804)
77. *Molophilus (M.) bifidus* Goetghebuer, 1920
78. *Molophilus (M.) bihamatus* de Meijere, 1918
79. *Molophilus (M.) bischoffi* Lackschewitz, 1940
80. *Molophilus (M.) cinereifrons* de Meijere, 1920
81. *Molophilus (M.) corniger* de Meijere, 1920
82. *Molophilus (M.) crassipygus* de Meijere, 1918
83. *Molophilus (M.) curvatus* Tonnöir, 1920
84. *Molophilus (M.) flavus* Goetghebuer, 1920
85. *Molophilus (M.) franzi* Caspers, 1980
86. *Molophilus (M.) griseus* (Meigen, 1804)
87. *Molophilus (M.) ibericus* Starý, 2011
88. *Molophilus (M.) klementi* Mendl, 1973
89. *Molophilus (M.) lackschewitzianus* Alexander, 1953
90. *Molophilus (M.) maurus* Lackschewitz, 1925
91. *Molophilus (M.) medius* de Meijere, 1918
92. *Molophilus (M.) niger* Goetghebuer, 1920
93. *Molophilus (M.) obscurus* (Meigen, 1818)
94. *Molophilus (M.) occultus* de Meijere, 1918
95. *Molophilus (M.) ochraceus* (Meigen, 1818)
96. *Molophilus (M.) oldenbergi* Lackschewitz, 1935
97. *Molophilus (M.) pleuralis* de Meijere, 1920
98. *Molophilus (M.) priapoides* Starý, 1971
99. *Molophilus (M.) priapus* Lackschewitz, 1935
100. *Molophilus (M.) propinquus* (Egger, 1863)
101. *Molophilus (M.) pseudopropinquus* Mendl, 1973
102. *Molophilus (M.) repentinus* Starý, 1971
103. *Molophilus (M.) scutellatus* Goetghebuer, 1929
104. *Molophilus (M.) serpentiger* Edwards, 1938
105. *Molophilus (M.) testaceus* Lackschewitz, 1940
106. *Molophilus (M.) tirolensis* Hancock, 2005
107. *Molophilus (M.) undulatus* Tonnöir, 1920
108. *Molophilus (M.) variispinus* Starý, 1971
109. *Molophilus (M.) vernalis* Brunhes & Geiger, 1992
110. *Molophilus (M.) zonzensis* Boardman & Starý, 2020

Neolimnophila Alexander, 1920

111. *Neolimnophila bergrothi* (Kuntze, 1919)
112. *Neolimnophila carteri* (Tonnöir, 1921)
113. *Neolimnophila placida* (Meigen, 1830)

Ormosia Rondani, 1856

114. *Ormosia (Ormosia) aciculata* Edwards, 1921
115. *Ormosia (O.) albifibia* Edwards, 1921
116. *Ormosia (O.) bicornis* (de Meijere, 1920)
117. *Ormosia (O.) bifida* (Lackschewitz, 1940)
118. *Ormosia (O.) bihamata* Lackschewitz, 1935
119. *Ormosia (O.) clavata* (Tonnöir, 1920)
120. *Ormosia (O.) depilata* Edwards, 1938
121. *Ormosia (O.) egena* (Bergroth, 1891)



122. *Ormosia (O.) fascipennis* (Zetterstedt, 1838)
123. *Ormosia (O.) hartigi* Mendl, 1973
124. *Ormosia (O.) hederae* (Curtis, 1835)
125. *Ormosia (O.) lineata* (Meigen, 1804)
126. *Ormosia (O.) nodulosa* (Macquart, 1826)
127. *Ormosia (O.) pseudosimilis* (Lundström, 1912)
128. *Ormosia (O.) ruficauda* (Zetterstedt, 1838)

Rhabdomastix Skuse, 1890

129. *Rhabdomastix (Lurdia) mendli* Starý, 2003
130. *Rhabdomastix (L.) lurida* (Loew, 1873)
131. *Rhabdomastix (Rhabdomastix) crassa* Starý, 2004
132. *Rhabdomastix (R.) edwardsi* Tjeder, 1967
133. *Rhabdomastix (R.) eugeni* Starý, 2004
134. *Rhabdomastix (R.) hirticornis* (Lackschewitz, 1940)
135. *Rhabdomastix (R.) laetoidea* Starý, 2004
136. *Rhabdomastix (R.) subparva* Starý, 1971

Rhypholophus Kolenati, 1860

137. *Rhypholophus bifurcatus* Goetghebuer, 1920
138. *Rhypholophus dufouri* Geiger & Podenas, 1993
139. *Rhypholophus haemorrhoidalis* (Zetterstedt, 1838)
140. *Rhypholophus malickyi* (Mendl, 1975)
141. *Rhypholophus phryganopterus* Kolenati, 1860
142. *Rhypholophus varius* (Meigen & Wiedemann, 1818)

Scleroprocta Edwards, 1938

143. *Scleroprocta pentagonalis* (Loew, 1873)
144. *Scleroprocta sororcula* (Zetterstedt, 1851)

Symplecta Meigen, 1830

145. *Symplecta (Psiloconopa) stictica stictica* (Meigen, 1818)
146. *Symplecta (Symplecta) hybrida* (Meigen, 1804)
147. *Symplecta (Trimicra) pilipes* (Fabricius, 1787)

Tasiocera Skuse, 1890

148. *Tasiocera (Dasymolophilus) exigua* Savchenko, 1973
149. *Tasiocera (D.) fuscescens* (Lackschewitz, 1940)
150. *Tasiocera (D.) jenkinsoni* Freeman, 1951
151. *Tasiocera (D.) murina* (Meigen, 1818)
152. *Tasiocera (D.) robusta* (Bangerter, 1947)

Dactylolabinae Podenas, 2005

Dactylolabis Osten Sacken, 1860

153. *Dactylolabis (Dactylolabis) anomala* (Kuntze, 1913)
154. *Dactylolabis (D.) corsicana* Edwards, 1928
155. *Dactylolabis (D.) denticulata* (Bergrøth, 1891)
156. *Dactylolabis (D.) dilatata* (Loew, 1856)
157. *Dactylolabis (D.) nubecula* Kuntze, 1913
158. *Dactylolabis (D.) sexmaculata* (Macquart, 1826)
159. *Dactylolabis (D.) transversa* (Meigen, 1804)

Limnophilinae Bigot, 1854

Austrolimnophila Alexander, 1920

160. *Austrolimnophila (Archilimnophila) unica* (Osten Sacken, 1869)
161. *Austrolimnophila (Austrolimnophila) latistyla* Starý, 1977
162. *Austrolimnophila (A.) ochracea* (Meigen, 1804)

Dicranophragma Osten Sacken, 1860

163. *Dicranophragma (Brachylimnophila) adjunctum* (Walker, 1848)
164. *Dicranophragma (B.) nemorale* (Meigen, 1818)
165. *Dicranophragma (B.) separatum* (Walker, 1848)

Epiphragma Osten Acken, 1860

166. *Epiphragma (Epiphragma) ocellare* (Linnaeus, 1761)

Euphylidorea Alexander, 1972

167. *Euphylidorea (Euphylidorea) aperta* (Verrall, 1887)
168. *Euphylidorea (E.) dispar* (Meigen, 1818)
169. *Euphylidorea (E.) lineola* (Meigen, 1804)
170. *Euphylidorea (E.) meigenii* (Verrall, 1886)
171. *Euphylidorea (E.) phaeostigma* (Schummel, 1829)

Eutonia van der Wulp, 1874

172. *Eutonia barbipes* (Meigen, 1804)

Hexatoma Latreille, 1809

173. *Hexatoma (Eriocera) schnusei* (Kuntze, 1913)
174. *Hexatoma (Hexatoma) bicolor* (Meigen, 1818)
175. *Hexatoma (H.) fuscipennis* (Curtis, 1836)
176. *Hexatoma (H.) gaedii* (Meigen, 1830)
177. *Hexatoma (H.) nigra* Latreille, 1809
178. *Hexatoma (H.) nubeculosa nubeculosa* (Burmeister, 1829)
179. *Hexatoma (H.) vittata* (Meigen, 1830)

Idioptera Macquart, 1834

180. *Idioptera apicata* (Loew, 1871)
181. *Idioptera czernyi* (Strobl, 1909)
182. *Idioptera laciniata* Edwards, 1928
183. *Idioptera linnei* Oosterbroek, 1992
184. *Idioptera maculata* (Meigen, 1804)
185. *Idioptera miliaria* (Egger, 1863)
186. *Idioptera mundata* (Loew, 1871)
187. *Idioptera pulchella* (Meigen, 1830)
188. *Idioptera pusilla* (Kuntze, 1920)
189. *Idioptera submarmorata* (Verrall, 1887)
190. *Idioptera trimaculata* (Zetterstedt, 1838)
191. *Idioptera verralli* (Bergroth, 1912)

Limnophila Macquart, 1834

192. *Limnophila (Limnophila) pictipennis* (Meigen, 1818)
193. *Limnophila (L.) schranki* Oosterbroek, 1992

Neolimnomyia Seguy, 1937



194. *Neolimnomyia batava* (Edwards, 1938)
195. *Neolimnomyia filata* (Walker, 1856)

Paradelphomyia Alexander, 1936

196. *Paradelphomyia czizekiana* Starý, 1971
197. *Paradelphomyia dalei* (Edwards, 1939)
198. *Paradelphomyia ecalcarata* (Edwards, 1938)
199. *Paradelphomyia fuscula* (Loew, 1873)
200. *Paradelphomyia nielseni* (Kuntze, 1919)
201. *Paradelphomyia senilis* (Haliday, 1833)

Phylidorea Bigot, 1854

202. *Phylidorea (Paraphylidorea) fulvonervosa* (Schummel, 1829)
203. *Phylidorea (Phylidorea) abdominalis* (Staeger, 1840)
204. *Phylidorea (P.) bicolor* (Meigen, 1804)
205. *Phylidorea (P.) ferruginea* (Meigen, 1818)
206. *Phylidorea (P.) heterogyna* (Bergroth, 1913)
207. *Phylidorea (P.) longicornis longicornis* (Schummel, 1829)
208. *Phylidorea (P.) nervosa* (Schummel, 1829)
209. *Phylidorea (P.) squalens* (Zetterstedt, 1838)

Phyllolabis

210. *Phyllolabis gohli* Mendl, 1976
211. *Phyllolabis pubipennis* Lackschewitz, 1940

Pilaria Sintenis, 1889

212. *Pilaria decolor* (Zetterstedt, 1851)
213. *Pilaria discicollis* (Meigen, 1818)
214. *Pilaria fuscipennis* (Meigen, 1818)
215. *Pilaria meridiana* (Staeger, 1840)
216. *Pilaria nigropunctata* (Agrell, 1945)
217. *Pilaria scutellata* (Staeger, 1840)

Prionolabis Oster Sacken, 1860

218. *Prionolabis hospes* (Egger, 1863)
219. *Prionolabis schmidi* Starý, 2006

Pseudolimnophila Alexander, 1919

220. *Pseudolimnophila (Pseudolimnophila) lucorum* (Meigen, 1818)
221. *Pseudolimnophila (P.) sepium* (Verrall, 1886)

Limoniinae Speiser, 1909

Achyrolimonia Alexander, 1965

222. *Achyrolimonia decemmaculata* (Loew, 1873)
223. *Achyrolimonia neonebulosa* (Alexander, 1924)

Antocha Osten Sacken, 1860

224. *Antocha (Antocha) vitripennis* (Meigen, 1830)
225. *Antocha (Orimargula) alpigena* (Mik, 1883)

Atypophthalmus Brunetti, 1911

226. *Atypophthalmus (Atypophthalmus) inustus* (Meigen, 1818)

Dicranomyia Stephens, 1829

227. *Dicranomyia (Dicranomyia) affinis* (Schummel, 1829)
228. *Dicranomyia (D.) aperta* Wahlgren, 1904
229. *Dicranomyia (D.) autumnalis* (Staeger, 1840)
230. *Dicranomyia (D.) chorea* (Meigen, 1818)
231. *Dicranomyia (D.) conchifera* (Strobl, 1900)
232. *Dicranomyia (D.) consimilis* (Zetterstedt, 1838)
233. *Dicranomyia (D.) didyma* (Meigen, 1804)
234. *Dicranomyia (D.) distendens* Lundström, 1912
235. *Dicranomyia (D.) frontalis* (Staeger, 1840)
236. *Dicranomyia (D.) fuscinota* Starý, 2009
237. *Dicranomyia (D.) goritiensis* (Mik, 1864)
238. *Dicranomyia (D.) imbecilla* Lackschewitz, 1941
239. *Dicranomyia (D.) kamakensis* Starý, 1993
240. *Dicranomyia (D.) livornica* Lackschewitz, 1928
241. *Dicranomyia (D.) longipennis* (Schummel, 1829)
242. *Dicranomyia (D.) lorettae* Geiger, 1985
243. *Dicranomyia (D.) lucida* de Meijere, 1918
244. *Dicranomyia (D.) lutea* (Meigen, 1804)
245. *Dicranomyia (D.) melanantha* Savchenko, 1984
246. *Dicranomyia (D.) micronychia* Lackschewitz, 1941
247. *Dicranomyia (D.) mitis* (Meigen, 1830)
248. *Dicranomyia (D.) modesta* (Meigen, 1818)
249. *Dicranomyia (D.) omissinervis* de Meijere, 1918
250. *Dicranomyia (D.) ornata* (Meigen, 1818)
251. *Dicranomyia (D.) pallidinota* Starý, 2009
252. *Dicranomyia (D.) quadra* (Meigen, 1838)
253. *Dicranomyia (D.) sera* (Walker, 1848)
254. *Dicranomyia (D.) signatella* Starý & Freidberg, 2007
255. *Dicranomyia (D.) strobli* Pagast, 1941
256. *Dicranomyia (D.) ventralis* (Schummel, 1829)
257. *Dicranomyia (Glochina) bangerteri* (Mendl, 1974)
258. *Dicranomyia (G.) mediterranea* Lackschewitz, 1942
259. *Dicranomyia (G.) pauli* Geiger, 1983
260. *Dicranomyia (G.) sericata* (Meigen, 1830)
261. *Dicranomyia (G.) transsilvanica* Lackschewitz, 1928
262. *Dicranomyia (G.) tristis* (Schummel, 1829)
263. *Dicranomyia (Idiopyga) danica* Kuntze, 1919
264. *Dicranomyia (I.) halterella* Edwards, 1921
265. *Dicranomyia (I.) lackschewitzii* Edwards, 1928
266. *Dicranomyia (I.) melleicauda complicata* de Meijere, 1918
267. *Dicranomyia (I.) nigristigma* Nielsen, 1919
268. *Dicranomyia (I.) stigmatica* (Meigen, 1830)
269. *Dicranomyia (Melanolimonia) caledonica* Edwards, 1926
270. *Dicranomyia (M.) hamata* Becker, 1908
271. *Dicranomyia (M.) morio* (Fabricius, 1787)
272. *Dicranomyia (M.) occidua* Edwards, 1926
273. *Dicranomyia (M.) rufiventris* (Strobl, 1900)
274. *Dicranomyia (M.) stylifera* Lackschewitz, 1928
275. *Dicranomyia (Numantia) fusca* (Meigen, 1804)
276. *Dicranomyia (Sivalimnobia) aquosa* Verrall, 1886

Dicranoptyla Osten Sacken, 1860

277. *Dicranoptyla cinerascens* (Meigen, 1818)



278. *Dicranoptyla fuscescens* (Schummel, 1829)
279. *Dicranoptyla livescens* Loew, 1871
280. *Dicranoptyla paralivescens* Starý, 1972
281. *Dicranoptyla pseudocinerea* Starý, 1972

Discobola Osten Sacken, 1865

282. *Discobola annulata* (Linnaeus, 1758)
283. *Discobola caesarea* (Osten Sacken, 1854)

Elephantomyia Osten Sacken, 1860

284. *Elephantomyia (Elephantomyia) edwardsi* Lackschewitz, 1932

Elliptera Schiner, 1863

285. *Elliptera hungarica* Madarassy, 1881
286. *Elliptera omissa* Schiner, 1863

Geranomyia Haliday, 1833

287. *Geranomyia bezzii* Alexander & Leonard, 1912
288. *Geranomyia caloptera* Mik, 1867
289. *Geranomyia unicolor* Haliday, 1833

Helius Lepeletier de Saint-Fargeau & Audinet-Serville, 1828

290. *Helius (Helius) calviensis* Edwards, 1928
291. *Helius (H.) flavus* (Walker, 1856)
292. *Helius (H.) hispanicus* Lackschewitz, 1928
293. *Helius (H.) longirostris* *longirostris* (Meigen, 1818)
294. *Helius (H.) pallirostris* Edwards, 1921

Limonia Meigen, 1803

295. *Limonia albifrons* (Meigen, 1818)
296. *Limonia dilutior* (Edwards, 1921)
297. *Limonia flavipes* (Fabricius, 1787)
298. *Limonia hercegovinae* (Strobl, 1898)
299. *Limonia macrostigma* (Schummel, 1829)
300. *Limonia maculipennis* (Meigen & Wiedemann, 1818)
301. *Limonia nigropunctata* *nigropunctata* (Schummel, 1829)
302. *Limonia nubeculosa* Meigen, 1804
303. *Limonia phragmitidis* (Schrank, 1781)
304. *Limonia stigma* (Meigen, 1818)
305. *Limonia sylvicola* (Schummel, 1829)
306. *Limonia taurica* (Strobl, 1895)
307. *Limonia trivittata* (Schummel, 1829)

Lipsothrix Loew, 1873

308. *Lipsothrix ecucullata* Edwards, 1938
309. *Lipsothrix errans* (Walker, 1848)
310. *Lipsothrix galiciensis* Hancock & Hewitt, 2015
311. *Lipsothrix nervosa* Edwards, 1938
312. *Lipsothrix nobilis* Loew, 1873
313. *Lipsothrix remota* (Walker, 1848)

Metalimnobia Matsumura, 1911



- 314. *Metalimnobia (Metalimnobia) bifasciata* (Schrank, 1781)
- 315. *Metalimnobia (M.) quadrimaculata* (Linnaeus, 1761)
- 316. *Metalimnobia (M.) quadrinotata* (Meigen, 1818)
- 317. *Metalimnobia (M.) tenua* Savchenko, 1976
- 318. *Metalimnobia (M.) zetterstedti* (Tjeder, 1968)

Neolimonia Alexander, 1964

- 319. *Neolimonia dumetorum* (Meigen, 1804)

Orimarga Osten Sacken, 1869

- 320. *Orimarga (Orimarga) attenuata* (Walker, 1848)
- 321. *Orimarga (O.) juvenilis* (Zetterstedt, 1851)
- 322. *Orimarga (O.) virgo* (Zetterstedt, 1851)

Rhipidia Meigen, 1818

- 323. *Rhipidia (Rhipidia) ctenophora* Loew, 1871
- 324. *Rhipidia (R.) maculata* Meigen, 1818
- 325. *Rhipidia (R.) punctiplena* Mik, 1887
- 326. *Rhipidia (R.) uniseriata* Schiner, 1864

Thaumastoptera Mik, 1866

- 327. *Thaumastoptera (Thaumastoptera) calceata* Mik, 1866

Pediciidae Osten Sacken, 1860

Pediciinae Osten Sacken, 1860

Dicranota Zetterstedt, 1838

1. *Dicranota (Dicranota) bimaculata* (Schummel, 1829)
2. *Dicranota (Ludicia) claripennis* (Verrall, 1888)
3. *Dicranota (L.) lucidipennis* (Edwards, 1921)
4. *Dicranota (L.) trifurcata* (Edwards, 1928)
5. *Dicranota (Paradicronata) brevicornis* Bergroth, 1891
6. *Dicranota (P.) brevitarsis* Bergroth, 1891
7. *Dicranota (P.) candelisequa* Starý, 1981
8. *Dicranota (P.) capillata* Lackschewitz, 1940
9. *Dicranota (P.) cinerascens* Lackschewitz, 1940
10. *Dicranota (P.) consimilis* Mendl, 1987
11. *Dicranota (P.) flammatra* Starý, 1981
12. *Dicranota (P.) fuscipennis* Lackschewitz, 1940
13. *Dicranota (P.) gracilipes* Wahlgren, 1905
14. *Dicranota (P.) landrocki* Czižek, 1931
15. *Dicranota (P.) minuta* Lackschewitz, 1940
16. *Dicranota (P.) pallens* Lackschewitz, 1940
17. *Dicranota (P.) pavida* (Haliday, 1833)
18. *Dicranota (P.) reitteri* Mik, 1882
19. *Dicranota (P.) rorida* Lackschewitz, 1940
20. *Dicranota (R.) robusta* Lundström, 1912
21. *Dicranota (P.) schistacea* Lackschewitz, 1940
22. *Dicranota (P.) simulans* Lackschewitz, 1940
23. *Dicranota (P.) subtilis* Loew, 1871
24. *Dicranota (Raphidolabis) exclusa* (Walker, 1848)

Pedicia Latreille, 1809



25. *Pedicia (Amalopis) fusca* Ujvarosi & Balint, 2012
26. *Pedicia (A.) occulta* (Meigen, 1830)
27. *Pedicia (Crunobia) littoralis* (Meigen, 1804)
28. *Pedicia (C.) riedeli* (Lackschewitz, 1940)
29. *Pedicia (C.) straminea* (Meigen, 1838)
30. *Pedicia (C.) zanheriana* Nielsen, 1950
31. *Pedicia (Pedicia) rivosa* (Linnaeus, 1758)

Tricyphona Zetterstedt, 1837

32. *Tricyphona (Tricyphona) alticola* Strobl, 1910
33. *Tricyphona (T.) contraria* Bergroth, 1888
34. *Tricyphona (T.) immaculata* (Meigen, 1804)
35. *Tricyphona (T.) livida* Madarassy, 1881
36. *Tricyphona (T.) schummeli* Edwards, 1921
37. *Tricyphona (T.) unicolor* (Schummel, 1829)

Ulinae Alexander, 1920

38. *Ula (Ula) bolitophila* Loew, 1869
39. *Ula (U) mixta* Starý, 1983
40. *Ula (U.) mollissima* Haliday, 1833
41. *Ula (U.) sylvatica* (Meigen, 1818)